

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

1. (Currently Amended) A heat-sealable laminated film obtained by laminating a substrate layer on one surface of a heat-sealable film comprising a resin composition having an easy-openable property directly or through a laminated layer, wherein the resin composition ~~having an easy-openable property which~~ comprises an ethylene polymer composition (D) comprising 5 to 65 wt% of a propylene polymer (A), 1 to 35 wt% of an ethylene/ $\alpha$ -olefin random copolymer (B) having a density of less than 895 kg/m<sup>3</sup> and 10 to 85 wt% of an ethylene polymer (C) selected from the group consisting of (a) a linear low density polyethylene having a density of 895 to 925 kg/m<sup>3</sup> prepared by using a catalyst containing a metallocene compound of a transition metal and (b) a high density polyethylene having a density of greater than 940 kg/m<sup>3</sup> and up to 970 kg/m<sup>3</sup> (in a total amount of 100 wt%).

2. (Currently Amended) The heat-sealable laminated film ~~resin composition having an easy-openable property~~ according to claim 1, wherein the propylene polymer (A) is a propylene/ $\alpha$ -olefin random copolymer.

3. (Currently Amended) The heat-sealable laminated film ~~resin composition having an easy-openable property~~ according to claim 1, wherein the ethylene/ $\alpha$ -olefin random copolymer (B) is a random copolymer with an  $\alpha$ -olefin

having at least 4 carbon atoms and has a crystallinity in the range of 5 to 40% as measured by X-rays.

4. (Canceled)

5. (Currently Amended) The heat-sealable laminated film resin composition ~~having an easy-openable property~~ according to claim 1, wherein an inorganic filler is added in an amount of not greater than 10 parts by weight, based on 100 parts by weight of the ethylene polymer composition (D).

6. (Canceled)

7. (Canceled)

8. (Canceled)

9. (Currently Amended) The heat-sealable laminated film according to claim ~~[[8]]~~ 1, wherein the laminated layer comprises a propylene homopolymer.

10. (Canceled)

11. (Currently Amended) A lid material for container, which comprises the heat-sealable laminated film according to claim ~~[[8]]~~ 1.

12. (Currently Amended) A package comprising the heat sealable laminated film according to claim ~~[[8]]~~ 1 and a part to be sealed having a propylene polymer layer, and having a heat-sealed structure between the laminated film and the propylene polymer layer.

13. (Canceled)

14. (Canceled)

15. (New) A heat-sealed article obtained by heat-sealing the heat-sealable laminated film according to claim 1 and a propylene polymer being superposed on the heat-sealable laminated film.

16. (New) The heat-sealed article according to claim 15, wherein the article is peeled off by cohesive peeling of the heat-sealable laminated film.